



www.futrolpetrochem.com

Futrol Petrochem

A chemistry of trust. Since 2001

TECHNICAL DATA SHEET

O-XYLENE			
TYPICAL TEST	UNIT	SPECIFICATION	TEST METHOD
Purity	Wt %	98.5 Min	ASTM D2306
Non-Aromatics	Wt %	0.3 Max	ASTM D2306
Bzn+C9 & Heavier Aromatics	Wt %	1.0 Max	ASTM D2306
Total C8 Aromatics +Toluene+ Ethyl Benzene	Wt %	98.5 Min	ASTM D2306
Distillation Range at 760 mmhg	°C	2.0 Max including 144.4	ASTM D850
Total Sulfur	ppm	1.0 Max	ASTM D5453
Color (Pt-Co)scale	-	20.0.max	ASTM D1209
Acidity	-	None detected	ASTM D847
Hydrocarbon residue after Evaporation	ppm wt	20 max	ASTM D1353
S02/H2S Content	-	None detected	ASTM D853

For more information about this product and other products in our range please scan the following

WEBSITE
www.futrolpetrochem.com

EMAIL SALES
sales@futrolpetrochem.com